

## www.rimstock.com





#### UK & WORLDWIDE

Rimstock PLC.
Ridgacre Road,
West Bromwich,
West Midlands, B71 1BB
Tel: +44 (0)121 525 6500
Fax: +44 (0)121 525 8499
Email: uksales@rimstock.com
www.rimstock.com

#### FRANCE

Team Dynamics France, 1D, ZA La Plucharde 21110 BRETENIERE France Tel: +33 3 80 67 05 50

Fax: +33 3 80 67 05 50

Email: teamdynamicsfrance@orange.fr www.teamdynamicsfrance.com

#### GERMANY

Team Dynamics GmbH Bodenseestrasse 222 81243 München Germany Tel: +49 89 18950980

Fax: +49 89 189509814 Email: info@teamdynamics.de www.teamdynamics.de

#### USA

Team Dynamics inc. 1885 S.Vineyard Ave. Suite 4 Ontario, California, 91761 USA Tel: +909 947 0114 Fax: +909 947 5763

Email: usateamdyn@earthlink.net

www.rimstock.com








## **2013 ALLOY WHEEL RANGE**

THE UK'S NO.1 CAST AND FORGED ALLOY WHEEL MANUFACTURER





# 40 YEARS OF BRITISH

DESIGN & ENGINEERING MANUFACTURING HERITAGE



#### WHY RIMSTOCK?

A world leading manufacturer of alloy wheels for Original Equipment vehicle manufacturers and the Aftermarket. RIMSTOCK is the premier producer of aluminium wheels in the United Kingdom, boasting the largest and most advanced design and manufacturing facilities of any wheel producer in the UK.

#### **ACCREDITATIONS**

We are certified and comply with the international Quality and Environmental standards of TS 16949 and ISO 14001, which meet the requirements of modern Original Equipment Manufacturers in the automotive industry.

We have held accreditation through the TÜV Rhineland Group since 2008, and prior to implementing TS16949 we have been certified to ISO 9001 and QS 9000 standards since 1998.

ISO/TS 16949-2002 is designed to help companies implement effective and robust Quality Management Systems relating to the design, development, production, installation and servicing of all automotive related products which satisfies automotive mandates of International Automotive Task Force (IATF) members around the world.















# COMPETITION WAS A STREET OF THE PROPERTY OF TH

## **WINNING THE WORLD OVER**

Established as a strong reliable race wheel manufacturer, Rimstock have their Team Dynamics PRO RACE and PRO FORGED brands of high performance wheels and continue to be the chosen supplier by many national and international teams and race car constructors.

## **CHAMPIONSHIPS**

Technical products at cost effective prices and logistical solutions for complete championships are what Rimstock work to provide for top OEM's and high profile championship organisers. Team Dynamics PRO RACE for cast alloy and PRO FORGED for forged wheel options give any championship a massive selection of sizes and offset variation to accommodate their styling and technical requirements.





# PRO RACE 1.2

**GLOSS BLACK** 













SPECIAL COLOURS AVAILABLE





	PCD			
	I OD	MIN PCD	MAX PCD	WEIGHT
t 30 - 37	4 stud	98mm	114.3mm	from 4.0kgs (8.8lbs)
15 - 35	4 stud	98mm	114.3mm	from 4.5kgs (9.9lbs)
t 35 - 38	4 stud	98mm	114.3mm	from 5.7kgs (12.5lbs)
12 - 45	4 + 5 stud	98mm	114.3mm	from 6.2kgs (13.6lbs)
10 - 35	4 or 5 stud	98mm	114.3mm	from 7.4kgs (16.2lbs)
t 15 - 34	4 or 5 stud	98mm	120mm	from 7.9kgs (17.3lbs)
t 15 - 50	4 or 5 stud	98mm	120mm	from 8.2kgs (18.0lbs)
t 15 - 53	4 or 5 stud	98mm	120mm	from 7.0kgs (15.4lbs)
13 - 53	4 or 5 stud	98mm	120mm	from 9.0kgs (19.8lbs)
13 - 53	4 or 5 stud	98mm	120mm	from 9.5kgs (20.0lbs)
23 - 45	4 or 5 stud	98mm	120mm	from 9.0kgs (19.8lbs)
15 - 35	4 or 5 stud	98mm	120mm	from 9.7kgs (21.3lbs)
	15 - 35 35 - 38 12 - 45 10 - 35 15 - 34 15 - 50 15 - 53 13 - 53 13 - 53 23 - 45	15 - 35	15 - 35	15 - 35     4 stud     98mm     114.3mm       35 - 38     4 stud     98mm     114.3mm       12 - 45     4 + 5 stud     98mm     114.3mm       10 - 35     4 or 5 stud     98mm     114.3mm       15 - 34     4 or 5 stud     98mm     120mm       15 - 50     4 or 5 stud     98mm     120mm       15 - 53     4 or 5 stud     98mm     120mm       13 - 53     4 or 5 stud     98mm     120mm       13 - 53     4 or 5 stud     98mm     120mm       23 - 45     4 or 5 stud     98mm     120mm

## COMPETITION RANGE

# PRO RACE 1.3

HI POWER SILVER









SPECIFICATIONS									
WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	WEIGHT				
17 x 9.0	et 40 - 45	5 stud	98mm	114.3mm	from 9.0kgs (19.8lbs)				
18 x 8.5	et 15 - 52	5 stud	108mm	130mm	from 11.0kgs (24.2lbs)				
18 x 10.0	et 15 - 65	5 stud	108mm	130mm	from 11.7kgs (25.8lbs)				
19 x 8.5	et 15 - 52	5 stud	108mm	130mm	from 10.9kgs (23.9lbs)				
20 x 9.0*	et 15 - 45	4 or 5 stud	98mm	120mm	from 14.8kgs (32.6lbs)				

\*HIGH LOAD 1025KGS CAPACITY









# PRO RACE

**GLOSS BLACK** 













WITHLE OIL	LOTTOLI	1 00	WIIIV I OD	MIAN I OD	WEIGHT
15 x 7.0	et 15 - 45	4 + 5 stud	98mm	120mm	from 7.2kgs (15.8lbs)
17 x 7.0	et 15 - 45	4 + 5 stud	98mm	120mm	from 8.2kgs (18.0lbs)

## COMPETITION RANGE

## **PRO RALLY**

**SILVER** 









e	D		n	ы	$\mathbf{c}$	м	ın	Me	۹
3	г	Е	v.	ш	W.	ч	IU	NS	1
_			~						

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	WEIGHT
15 x 6.0	et 12 - 53	4 or 5 stud	98mm	120mm	from 7.8kgs (17.2lbs)
15 x 7.0	et 12 - 53	4 or 5 stud	98mm	120mm	from 8.0kgs (17.6lbs)

FOR COMPETITION USE ONLY





V8 SUPERCARS: FORD FALCON FG



FORGED WHEEL BLANK



V8 SUPERCARS: TOLL HOLDEN RACING TEAM

# COMPETITION PRO FORGED TECHNOLOGY









**V8 SUPERCARS: TEAM VODAFONE** 


V8 SUPERCARS WHEEL

Aluminium forged and billet machined wheels are now a very popular engineering favourite for combining weight optimisation, strength and durability. The Team Dynamics Pro Forged range can be produced for complete Championships like Australian V8 Supercars looking for ultimate performance in a cost effective manner to GT and Sports Prototype racing where performance is sort like the holy grail.

Available 16 through to 21 inchs in a comprehensive range of rim widths and offsets.



Team Vodafone V8 Supercar fitted with Team Dynamics 17 x 11 forged aluminum race wheels



## PRO FORGED

1

MATT BLACK







WHEEL SIZ	E UFFSEI	PUD	IVIIN PUD	IVIAX PUD	WEIGHT
19 x 8.5	et 38 - 50	5 stud	108mm	108mm	from 8.5kgs (18.7lbs)





## PRO RACE 1.4G

MATT BLACK









GLOSS GOLD



**SPECIFICATIONS** 

WHEEL SIZE	OFFSET	PCD	WEIGHT
16 x 7.0	et 31	4x100	from 5.4kgs (11.8lbs)
17 x 8.0	et 38	4x100	from 7.5kgs (16.5lbs)

LIGHTEST LOTUS WHEEL ON THE MARKET







# PRO FORGED 2R





#### **SPECIFICATIONS**

WHEEL SIZE	OFFSET	PCD
9 x 18	et 10 - 50	5 stud
10 x 18	et 15 - 65	5 stud
11 x 18	et 20 - 61	5 stud
12 x 18	et 20 - 58	5 stud
13 x 18	et 20 - 73	5 stud

CENTRE LOCK AND PCD COMPATIBLE

# **AVAILABLE FORGINGS**





#### **SPECIFICATIONS**

 $\frac{16 \times 6.0 + 16 \times 7.0 + 17 \times 7.5 + 17 \times 8.0 + 18 \times 8.0 + 18 \times 8.5 + 18 \times 9.0}{18 \times 10 + 18 \times 10.5 + 18 \times 11 + 18 \times 12 + 18 \times 12.5 + 18 \times 13 + 19 \times 8.0}$  $\frac{19 \times 8.5 + 19 \times 9.0 + 19 \times 9.5 + 19 \times 10.0 + 19 \times 11 + 20 \times 8.0 + 20 \times 8.5}{20 \times 9.0 + 20 \times 9.5 + 20 \times 10 + 20 \times 10.5 + 20 \times 11 + 21 \times 11}$ 

PLEASE CALL TO DISCUSS SPECIFIC REQUIREMENTS









ASTON MARTIN VANTAGE

## ORIGINAL EQUIPMENT MANUFACTURED BY RIMSTOCK









OVERFINCH RANGE ROVER SPORT

JAGUAR X-C16

SUBARU IMPREZA

Rimstock, the Team Dynamics parent company, manufactures cast and forged alloy wheels for some of the Worlds premier vehicle manufacturers.

Our pursuit of the highest possible quality standards in the industry, coupled with our focus on technical excellence are rewarded by the association with customers including Aston Martin, Bentley and Lotus.

The Team Dynamics range of alloy wheels are manufactured in the UK in exactly the same way, using the same plant, equipment and personnel so you can be sure that Team Dynamics alloy wheels are manufactured to the highest possible standards.







## **LE MANS**

MATT GRAPHITE / POLISHED FACE







WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
17 x 7.5	et 37 - 45	5 stud	98mm	120mm
18 x 8.5	et 30 - 45	5 stud	100mm	120mm
19 x 8.5	et 20 - 45	5 stud	100mm	120mm
19 x 9.5	et 20 - 45	5 stud	100mm	120mm





## **JADE R**

HI-POWER SILVER





WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
18 x 8.5	et 35 - 45	5 stud	98mm	120mm
19 x 8.5	et 15 - 45	5 stud	98mm	120mm
19 x 10.0	et 20 - 45	5 stud	98mm	120mm











## **IMOLA**

HI-POWER SILVER





MATT BLACK / GT CAP



MATT GRAPHITE / GT CAP





WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
17 x 7.5	et 37 - 45	4,5,8,10 stud	98mm	120mm
18 x 8.0	et 35 - 45	4,5,8,10 stud	98mm	120mm
19 x 8.5	et 35 - 45	5 stud	98mm	120mm





## **EQUINOX**

HI-POWER SILVER / STAINLESS STEEL RIM





\*ENGRAVING ON 17" AND 18" WHEELS ONLY





REPLACEABLE STAINLESS STEEL RIM

e	D	Е	$oldsymbol{\cap}$	П	r	$\Lambda$	71	n	м	S
-	-		п		U	м		u	w	ю1

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	
17 x 7.5*	et 37-45	4/5	98mm	120mm	*Engraved
18 x 8.0*	et 15-40	5	98mm	120mm	*Engraved
19 x 8.5	et 15-45	5	98mm	120mm	
19 x 9.5	et 15-45	5	98mm	120mm	
20 x 8.5	et 15-45	5/6	98mm	130mm	
20 x 9.5	et 15-50	5	98mm	130mm	
22 x 9.5	et 15-50	5/6	100mm	140mm	









## MONZA R/RS

HI-POWER SILVER













WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
15 x 6.5	et 15 - 45	4,5,8,10 stud	98mm	120mm
16 x 7.0	et 15 - 45	4,5,8,10 stud	98mm	120mm
17 x 7.0	et 15 - 50	4,5,8,10 stud	98mm	120mm
18 x 7.5	et 15 - 45	4,5,8,10 stud	98mm	120mm



## **CYCLONE**

SILVER







WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
16 x 6.5	et 25 - 45	4 or 5 stud	98mm	115mm
17 x 7.0	et 38 - 45	4 or 5 stud	98mm	115mm









## JET / RS

GLOSS BLACK / DIAMOND CUT RIM









WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
15 x 6.5	et 38 - 45	4,5,8,10 stud	98mm	115mm
17 x 7.0	et 38 - 45	4,5,8,10 stud	98mm	120mm





## **SILVERSTONE**

HI-POWER SILVER





#### **SPECIFICATIONS**

 WHEEL SIZE
 OFFSET
 PCD
 MIN PCD
 MAX PCD

 20 x 9.0
 et 15- 50
 5 Stud
 108mm
 120mm

WIDE REAR FITMENT COMING SOON. IMAGE SHOWN OF REAR











## **DSR**

GLOSS ANTHRACITE MACHINED FACE






WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
20 x 8.5	et 32	5 Stud	108mm	108mm
20 x 9.5	et 49	5 Stud	108mm	108mm



# PRO DRIVE GT RANGE



















SPECIFICATIONS					
WHEEL SIZE	OFFSET	PCD	MIN		
10 v 7 F	ot AC EE	E Child	100		

WIILLE OILL	OLIGE	1 00	MINT TOD	INIPOCT OD
<b>GT1</b> 18 x 7.5	et 46 - 55	5 Stud	100mm	100mm
GT1 18 x 8.5	et 53	5 Stud	114.3mm	114.3mm
GT2 19 x 8.5	et 53	5 Stud	114.3mm	114.3mm







## **SMARTIE**

BLACK / DIAMOND CUT FACE







HI-POWER SILVER



WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
16 x 6.0	et 32	3 Stud	112mm	112mm
16 x 7.5	et 32	3 Stud	112mm	112mm





# EAGLE

BLACK / DIAMOND CUT FACE









WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
16 x 6.0	et 32	3 Stud	112mm	112mm
16 x 7.5	et 32	3 Stud	112mm	112mm









## BALMORAL

BLACK / DIAMOND CUT FACE







WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
20 x 9.0	et 30-50	5 Stud	108mm	130mm
22 x 10.0	et 30-50	5 Stud	108mm	130mm



## **SUPERLITE**

**FORGED** 







WHEEL SIZE	PCD	MIN PCD	MAX PCD
22 x 10	5 Stud	108mm	130mm
22 x 11.5	5 Stud	108mm	130mm







## **VOGUE**

HI-POWER SILVER





WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD
22 x 9.5	et 20 - 40	5 Stud	108mm	127mm



## **MANHATTAN**

SILVER








WILLEL OLZE	OFFOFT	DOD	MINI DOD	MAY DOD
WHEEL SIZE	OFFSET	PGD	MIN PCD	MAX PCD
22 x 10	et 37 - 55	5 stud	112mm	130mm











# SCORPION

GLOSS ANTHRACITE / DIAMOND CUT FACE







WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
15 x 6.0	et 40- 58	5 Stud	108mm	130mm	1120kg
16 x 6.5	et 40 - 62	5 Stud	108mm	130mm	1250kg





## **RIMFIRE**

HI-POWER SILVER





eп	FC	UV.	ш	A I	ıc
- ar		LÆ		• 11	1

WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
15 x 6.0	et 58	5 Stud	108mm	130mm	1025kg
16 x 6.5	et 38 - 50	5 Stud	108mm	130mm	1150ka





## **RIMFIRE** HDX5

HI-POWER SILVER





WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
16 x 6.5	et 55-62	5 Stud	112mm	160mm	1250kg



# RIMFIRE HDX6

HI-POWER SILVER





WHEEL SIZE	OFFSET	PCD	MIN PCD	MAX PCD	LOAD
16 x 6.5	et 42-60	6+9 Stud	114.3mm	139.7mm	1215kg













